

# LIBRARY PARKING LOT

INSTALL 17'-8" TRASH ENCLOSURE PER CITY STD. M-5 & M-6.

INSTALL No. 3 PULL BOX

MATCH EXISTING GRADE

INSTALL No. 3 TRAFFIC RATED PULL BOX

INSTALL TYPE 1 ARROW (10'-0") PER STATE STD. A24A (TYP.)

INSTALL 104± LF OF 2" PVC CONDUIT AND BACK FILL PER CITY STD. UT-1

CHARGING STATION TO BE TEMPORARILY REMOVED BY OTHERS

INSTALL 10± LF OF CONCRETE CURB PER DETAIL B & C ON SHEET C-1

SAWCUT LINE (TYP.)

INSTALL ADA PARKING STALL 3  
C-2

MARION ST

20.0' (TYP.)

20.0' (TYP.)

9.0' (TYP.)

9.0' (TYP.)

20.0' (TYP.)

9.0' (TYP.)

INSTALL 10± LF OF CONCRETE CURB PER DETAIL B & C ON SHEET C-1

INSTALL 38± LF OF GREEN PAINT ON CURB WITH WHITE PAINTED "24 MIN. PARKING" STENCIL PER STALL

4" WHITE PAINT LINE (2 COATS) (TYP.)

1


SAWCUT LINE (TYP.)

4

4


PROTECT EXISTING AIR CONDITIONING UNITS AND DOORWAYS (TYP.)

PROTECT EXISTING BOOK RETURN BIN IN PLACE



ELLIS ST

SMITH ST



INSTALL LANDSCAPE PLANTER

**2**  
C-2  
INSTALL ADA PARKING STALL

**D**  
C-1  
CONSTRUCT WHEEL STOP PER DETAIL, OR APPROVED EQUAL (TYP.)

INSTALL 15± LF OF 6" CONC. MOWSTRIP AROUND EXISTING AIR CONDITIONING UNITS. MATCH WITH PROPOSED PAVEMENT

INSTALL ADA PARKING STALL **2**  
C-2

NO PARKING

4" WHITE PAINT LINE (2 COATS) (TYP.)

REMOVE SIGN

REMOVE EXIST. WHEEL STOPS (TYP.)

INSTALL LANDSCAPE PLANTER

**F**  
C-1


REMOVE MOWSTRIP

INSTALL 4" CONCRETE PER CITY STD. ST-24

REMOVE MOWSTRIP

REMOVE EXIST. CURBS AND LANDSCAPING. FILL PLANTER WITH DIRT AND AGGREGATE BASE (CLASS II)

SENIOR CENTER PARKING LOT



INSTALL No. 3 TRAFFIC RATED PULL BOX. TIE IN PROPOSED STREET LIGHT ELECTRICAL TO EXISTING UNDERGROUND ELECTRICAL

INSTALL 12"x18" SIGN "NO PARKING 6AM-8AM" & POST

INSTALL 17'-8" TRASH ENCLOSURE PER CITY STD. M-5 & M-6 WITH PEDESTRIAN ACCESS GATE PER DETAIL, THIS SHEET

MATCH PAVEMENT AT EXISTING SIDEWALK

CONSTRUCT WHEEL STOP PER DETAIL, OR APPROVED EQUAL (TYP.)




P 299.53±, ME

INSTALL STREET LIGHT PER CITY STD. E-1 WITH 2' ELEVATED BASE FOUNDATION


RELOCATE EXISTING STREET LIGHT

TC 298.97±, ME  
FL 298.38±, ME

INSTALL 10± LF OF CURB, GUTTER, & SIDEWALK PER CITY STD. ST-24



CONSTRUCT DRIVE APPROACH



SAWCUT LINE

MATCH WITH EXISTING PAVEMENT

SMITH ST

INSTALL 17'-8" TRASH ENCLOSURE PER CITY STD. M-5 & M-6 WITH PEDESTRIAN ACCESS GATE PER DETAIL, THIS SHEET

REMOVE EXIST. CURBS AND LANDSCAPING. FILL PLANTER WITH DIRT AND AGGREGATE BASE (CLASS II)

INSTALL 19± LF OF CURB, GUTTER, & SIDEWALK PER CITY STD. ST-24

4" WHITE BORDER & 4" WHITE GORE STRIPE 5' O.C. (TYP.)

INSTALL 12"x18" SIGN "NO PARKING 6AM-8AM" & POST

INSTALL 12"x18" SIGN ON ENCLOSURE DOOR "NO PARKING 6AM-8AM", 4 EACH

TC 298.93±, ME  
FL 298.49±, ME

**SMITH STREET PARKING LOT**

